

**SAFETY DATA SHEET**  
Regulation (EC) No 1907/2006 (REACH)

**SECTION 1: IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING**

**1.1 Product Identifier**

Trade Name **Orelube HT-1000 G**

SDS Date June 10, 2015

**1.2 Relevant Identified Uses of the Substance or Mixture and Uses Advised Against**

Product Use: Industrial Lubricating Grease

Uses Advised Against: None known

**1.3 Details of the Supplier of the Substance or Mixture**

Manufacturer: THE ORELUBE CORPORATION  
20 Sawgrass Drive  
Bellport, NY 11713  
+1 (631) 205-9700

EU Distributor:

**1.4 Emergency Telephone Number**

Emergency Spill Information +1 (631) 205-9700 (Monday-Friday 9:00 – 17:00)

**SECTION 2: HAZARDS IDENTIFICATION**

**2.1 Classification of the Substance or Mixture**

Physical	Health	Environmental
Not hazardous	Not Hazardous	Not Hazardous

**2.2 Label Elements**

Not hazardous in accordance with the EU CLP (1272/2008)

**2.3 Other Hazards:** None

**SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

**3.2 Mixtures**

Chemical Name	CAS Number / EINECS Number / REACH Reg. Number	% (w/w)	CLP/GHS Classification (1272/2008)
Petroleum Paraffinic Base Oil	64742-70-7 265-174-4	80-100%	Not hazardous
Natural Graphite	7782-42-5 / 231-955-3	1-5%	Not hazardous
Crystalline Silica, Quartz	14808-60-7 238-878-4	0.1-0.5%	STOT RE 1 H372

See Section 16 for full text of GHS Classifications.

The exact percentage (concentration) and composition has been withheld as a trade secret.

**SECTION 4: FIRST AID MEASURES****4.1 Description of First Aid Measures****First Aid**

**Inhalation:** Remove person to fresh air. If irritation occurs or symptoms develop, get medical attention.

**Skin contact:** Remove contaminated clothing. Wash skin with soap and water. If irritation develops and persists, get medical attention. Launder clothing before reuse.

**Eye contact:** Immediately flush eyes with water while lifting the upper and lower lids. Get medical attention if irritation persists.

**Ingestion:** Rinse mouth with water. Do NOT induce vomiting. Never give anything by mouth to a person who is unconscious or convulsing. Get medical attention if symptoms develop.

**4.2 Most important symptoms and effects, both acute and delayed:** May cause mild eye irritation. Prolonged skin contact may cause irritation and drying of the skin. Ingestion may cause gastrointestinal distress with nausea and diarrhea. Inhalation of mists may cause upper respiratory tract irritation.

**4.3 Indication of any immediate medical attention and special treatment needed:** Immediate medical attention is not generally required.

**SECTION 5: FIREFIGHTING MEASURES**

**5.1 Extinguishing Media:** Use water fog, foam, carbon dioxide or dry chemical to extinguish a fire involving this product. Do not use solid water stream as this may spread the fire.

**5.2 Special Hazards Arising from the Substance or Mixture:** Product is not flammable or combustible but may burn in a fire. Combustion products are hazardous and may include carbon, nitrogen and molybdenum oxides.

**5.3 Advice for Fire-Fighters:** Firefighters should wear positive pressure self-contained breathing apparatus and full protective clothing for all fires involving chemicals. Cool fire exposed containers with water.

**SECTION 6: ACCIDENTAL RELEASE MEASURES**

**6.1 Personal Precautions, Protective Equipment and Emergency Procedures:** Wear appropriate protective clothing and equipment as described in Section 8. Use caution – surfaces will be very slippery.

**6.2 Environmental Precautions:** Prevent spill from entering sewers and water courses. Report releases as required by local and national authorities.

**6.3 Methods and Material for Containment and Cleaning Up:** Contain and collect with an inert absorbent material. Place in an appropriate container for disposal. Clean spill area thoroughly.

**6.4 Reference to Other Sections:**

Refer to Section 8 for personal protective equipment and Section 13 for disposal information.

**SECTION 7: HANDLING and STORAGE**

**7.1 Precautions for Safe Handling:** Avoid the generation of mists. Avoid contact with eyes, skin and clothing. Wash thoroughly with soap and water after handling. Keep away from open flames and hot surfaces.

**7.2 Conditions for Safe Storage, Including any Incompatibilities:** Store in a dry, cool, well-ventilated area. Keep in original containers. Store away from oxidizing agents.

**7.3 Specific end use(s):****Industrial uses:** Industrial Lubricating Grease**Professional uses:** Industrial Lubricating Grease**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION****8.1 Control Parameters:**

Chemical Name	EU IOEL	French OEL	German OEL	UK OEL
Petroleum Paraffinic Base Oil	None Established	None Established	None Established	None Established
Natural Graphite	None Established	2 mg/m <sup>3</sup> TWA (respirable)	1.5 mg/m <sup>3</sup> TWA (respirable) 4 mg/m <sup>3</sup> TWA (inhalable)	4 mg/m <sup>3</sup> TWA (respirable) 10 mg/m <sup>3</sup> TWA (inhalable)
Crystalline Silica, Quartz	None Established	0.1 mg/m <sup>3</sup> TWA	None Established	0.1 mg/m <sup>3</sup> TWA

**8.2 Exposure Controls:**

**Appropriate Engineering Controls:** Use with adequate general or local exhaust ventilation to minimize exposures levels.

**Personal Protective Measures**

**Respiratory protection:** None needed under normal use conditions. If exposure levels are excessive and irritation is experienced, an approved organic vapor/particulate respirator is recommended. Selection of respiratory protection depends on the contaminant type, form and concentration. Select in accordance with EN Standards and good Industrial Hygiene practice.

**Skin protection:** Impervious gloves recommended if needed to avoid prolonged skin contact.

**Eye protection:** Follow facility requirements. Safety goggles recommended if splashing is possible.

**Other:** None known

**SECTION 9: PHYSICAL and CHEMICAL PROPERTIES****9.1 Information on basic Physical and Chemical Properties**

**Appearance (physical state, color, etc.):** Black grease

**Odor:** No characteristic odor

<b>Odor threshold:</b> Not determined	<b>pH:</b> Not applicable
<b>Melting point/freezing point:</b> Not determined	<b>Boiling Point:</b> Not determined
<b>Flash point:</b> >300.2°F (>149°C) COC (petroleum base oil)	<b>Evaporation rate ( butyl acetate =1):</b> <1
<b>Flammability (solid, gas):</b> Not applicable	<b>VOC:</b> Not determined
<b>Flammable limits: LEL:</b> Not determined	<b>UEL:</b> Not determined
<b>Vapor pressure:</b> Not determined	<b>Vapor density:</b> Not determined
<b>Relative density:</b> 0.90	<b>Solubility(ies):</b> Insoluble in water
<b>Partition coefficient: n-octanol/water:</b> Not available	<b>Auto-ignition temperature:</b> Not available
<b>Decomposition temperature:</b> Not available	<b>Viscosity:</b> >20 cSt @ 40°C
<b>Explosive Properties:</b> Not applicable	<b>Oxidizing Properties:</b> Not oxidizing

**9.2 Other Information:** None available

<b>SECTION 10: STABILITY and REACTIVITY</b>
---

**10.1 Reactivity:** Not reactive under normal conditions of use.

**10.2 Chemical Stability:** Stable.

**10.3 Possibility of Hazardous Reactions:** None known.

**10.4 Conditions to Avoid:** Extreme heat and open flames.

**10.5 Incompatible Materials:** Avoid oxidizing agents.

**10.6 Hazardous Decomposition Products:** Thermal decomposition may yield carbon, nitrogen and molybdenum oxides.

<b>SECTION 11: TOXICOLOGICAL INFORMATION</b>
--

**11.1 Information on Toxicological Effects:**

**Potential Health Effects:**

**Inhalation:** Inhalation of mists from heated product may cause minor irritation of the mucous membranes and upper respiratory tract.

**Ingestion:** Ingestion may cause gastrointestinal distress with nausea and diarrhea.

**Skin contact:** May cause mild irritation and drying of the skin. Prolonged skin contact may cause dermatitis.

**Eye contact:** Contact may cause mild irritation with redness and tearing.

**Chronic Effects:** None known.

**Sensitization:** Components are not known to be sensitizers.

**Skin corrosion/irritation:** None of the components have been shown to cause skin irritation or corrosion.

**Eye damage/ irritation:** None of the components have been shown to cause eye irritation or damage.

**Respiratory Irritation:** No data available. Expected to cause only temporary irritation.

**Respiratory Sensitization:** No data available.

**Skin Sensitization:** No data available. None of the components have been shown to cause skin sensitization.

**Germ Cell Mutagenicity:** No adverse effects are expected. Components are not germ cell mutagens.

**Reproductive Toxicity:** No adverse effects are expected. Components are not reproductive toxins.

**Carcinogenicity:** This product contains small amount of crystalline silica, quartz, which is listed by IARC as "Carcinogenic to Humans" (Group 1). Crystalline silica, quartz only presents a risk of cancer by inhalation of very fine dust. In this product, the crystalline silica, quartz is incorporated into the grease and is not present as a respirable dust. There is no exposure to respirable crystalline silica, quartz dust in the normal use of this product. None of the other components are listed as a carcinogen or suspect carcinogen by IARC or the EU CLP.

**Reproductive Toxicity:** No adverse effects are expected. Components are not reproductive toxins.

**Specific Target Organ Toxicity:**

**Single Exposure:** No data available.

**Repeat Exposure:** No data available.

**Acute Toxicity Values:**

Petroleum Paraffinic Base Oil: Oral Rat LD50 >5000 mg/kg, Inhalation rat LC50 >5.53 mg/L/4 hr, Dermal rabbit LD50 >2000 mg/kg

Natural Graphite: Oral Rat LD50 >2000 mg/kg, Inhalation rat LC50 >2.0 mg/L/4 hr (no mortalities)

Crystalline Silica, Quartz: Oral rat LD50 >22,500 mg/kg

<b>SECTION 12: ECOLOGICAL INFORMATION</b>
---

**12.1 Toxicity:**

Petroleum Paraffinic Base Oil: 96 hr LL50 Pimephales promelas >100 mg/L, 48 hr EL50 daphnia magna >10,000 mg/L, 96 hr NOEL Pseudokirchnerella subcapitata >100 mg/L

Natural Graphite: 96 hr LC50 Danio rerio >100 mg/L, 48 hr EC50 daphnia magna >100 mg/L, 72 hr EC50

Pseudokirchnerella subcapitata >100 mg/L

Crystalline Silica, Quartz: LC50 carp >10,000 mg/L/72 hr.

**12.2 Persistence and degradability:** Petroleum paraffinic base oil is inherently biodegradable.

**12.3 Bioaccumulative Potential:** Petroleum paraffinic base oil has the potential to bioaccumulate in aquatic organisms.

**12.4 Mobility in Soil:** No data available.

**12.5 Results of PVT and vPvB assessment:** Not required.

**12.6 Other Adverse Effects:** No data available.

<b>SECTION 13: DISPOSAL CONSIDERATIONS</b>
--

**13.1 Waste Treatment Methods:** Dispose in accordance with all local, state and federal regulations. No specific disposal method is recommended. It is the responsibility of the user, at the time of disposal, to determine whether the product meets the criteria for hazardous waste.

<b>SECTION 14: TRANSPORTATION INFORMATION</b>
---

	14.1 UN Number	14.2 UN Proper Shipping Name	14.3 Hazard Class(s)	14.4 Packing Group	14.5 Environmental Hazards
US DOT		Not Regulated			
Canadian TDG		Not Regulated			
EU ADR/RID		Not Regulated			
IMDG		Not Regulated			
IATA/ICAO		Not Regulated			

**14.6 Special Precautions for User:** None

**14.7 Transport in Bulk According to Annex III MARPOL 73/78 and the IBC Code:** Not applicable – product is transported only in packaged form.

<b>SECTION 15: REGULATORY INFORMATION</b>
---

**15.1 Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture****EU Regulations:**

**RoHS:** Compliant

**German WGK:** 1

This SDS was prepared in accordance with EC No. 1907/2006 as amended. Classification under EC No. 1272/2008 as amended following the mixture rules.

**15.2 Chemical safety assessment:** Not required

**SECTION 16: OTHER INFORMATION**

CLP/GHS Classification and H Phrases for Reference (See Section 3)

STOT RE 1 Specific Target Organ Toxicity Repeat Exposure Category 1

H372 Causes damage to organs through prolonged or repeated exposure.

**SDS Revision History:** Convert to REACH GHS Format

**Date of preparation:** June 10, 2015

**Date of previous revision:** May 21, 2013

This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of The Orelube Corporation. The Orelube Corporation assumes no legal responsibility for the use or reliance upon this data.